

3/4 " double coaxial thermostatic pressure balance system with hand shower rail, 4 body jets and shower head

KIT#483CSTMXX



Specifications

Composition

- CSTM83 ¾" double coaxial thermostatic pressure balance valve
- 1010 Hand shower rail
- 468 20cm (8") shower head
- 503 40cm (16") shower arm
- 790 Elbow supply with shut-off valve
- 390 Eco body jet

Available colors

- C : Chrome
- BN : Brushed nickel (PVD)

Certifications

- ASME A112.18.1
- CMR248 Approval
- CSA B125.1

<u>Warranty</u>

The Riobel inc. product carries a limited LIFETIME warranty on the finish Chrome, Gold (PVD), Brushed nickel (PVD), Night brushed (PVD), Polished nickel (PVD) and all working parts and is guaranteed from the initial date of purchase against all manufacturing defects. Other finished 1 year.

Customer service

Ontario, West Canada: 888-287-5354 Quebec, Maritimes, United States: 866-473-8442

Rev: KIT#483CSTMEN.pdf 2011.02.24



Elbow supply with shut-off valve **790XX**



Specifications

Descriptions

- ½" female inlet NPT
- •½" male outlet
- Ceramic cartridge
- Solid brass
- Depth adjustable

Available colors

- C : Chrome
- PN : Polished nickel (PVD)
- BN: Brushed nickel (PVD)


Cartridges

• 401-079 (Volume control)

Certifications

- ASME A112.18.1
- CSA B125.1
- CMR248 Approval





Warranty

The Riobel inc. product carries a limited LIFETIME warranty on the finish Chrome, Gold (PVD), Brushed nickel (PVD), Night brushed (PVD), Polished nickel (PVD) and all working parts and is guaranteed from the initial date of purchase against all manufacturing defects. Other finished 1 year.

Customer service

Ontario, West Canada: 888-287-5354 Quebec, Maritimes, United States: 866-473-8442

Rev: 790EN.pdf 2011.01.19



Hand shower rail

1010XX



Specifications

Descriptions

- 4 jet hand shower; tropical breeze, luxurious, invigorating, massage and pause
- 150cm (59") double interlock flexible hose
- Ø19mm (¾") slide bar

Available colors

• C : Chrome


PN : Polished nickel (PVD)BN : Brushed nickel (PVD)

Flows

• Max. flow 9.5 L/min, 2.5 gpm (US) 60psi

Certifications

- CSA B125.1
- ASME A112.18.1





Warranty

The Riobel inc. product carries a limited LIFETIME warranty on the finish Chrome, Gold (PVD), Brushed nickel (PVD), Night brushed (PVD), Polished nickel (PVD) and all working parts and is guaranteed from the initial date of purchase against all manufacturing defects. Other finished 1 year.

Customer service

Ontario, West Canada: 888-287-5354 Quebec, Maritimes, United States: 866-473-8442

Rev: 1010EN.pdf 2011.01.12



20cm (8") shower head **468XX**



Specifications

Descriptions

- ½" female inlet NPT
- Touch clean
- Swivel

Available colors

• C : Chrome

PN : Polished nickel (PVD)BN : Brushed nickel (PVD)


Flows

• Max. flow 9.5 L/min, 2.5 gpm (US) 60psi

Certifications

- ASME A112.18.1
- CSA B125.1
- CMR248 Approval





Warranty


The Riobel inc. product carries a limited LIFETIME warranty on the finish Chrome, Gold (PVD), Brushed nickel (PVD), Night brushed (PVD), Polished nickel (PVD) and all working parts and is guaranteed from the initial date of purchase against all manufacturing defects. Other finished 1 year.

Customer service

Ontario, West Canada: 888-287-5354 Quebec, Maritimes, United States: 866-473-8442

Rev: 468EN.pdf 2011.01.19







Specifications

Descriptions

- •½" male inlet NPT
- Solid brass
- Flange with set screw


Available colors

• C : Chrome

PN : Polished nickel (PVD)BN : Brushed nickel (PVD)

Certifications

CMR248 Approval



Warranty

The Riobel inc. product carries a limited LIFETIME warranty on the finish Chrome, Gold (PVD), Brushed nickel (PVD), Night brushed (PVD), Polished nickel (PVD) and all working parts and is guaranteed from the initial date of purchase against all manufacturing defects. Other finished 1 year.

Customer service

Ontario, West Canada: 888-287-5354 Quebec, Maritimes, United States: 866-473-8442

Rev: 503EN.pdf 2011.01.14





Specifications

Descriptions

- ½" female inlet NPT
- Solid brass
- Directional

Available colors

• C : Chrome

• BN : Brushed nickel (PVD)


Flows

• Adjustable flow 2 to 6 L/min, 0.5 to 1.6 gpm (US) 60psi

Certifications

- CMR248 Approval
- ASME A112.18.1
- CSA B125.1





Warranty

The Riobel inc. product carries a limited LIFETIME warranty on the finish Chrome, Gold (PVD), Brushed nickel (PVD), Night brushed (PVD), Polished nickel (PVD) and all working parts and is guaranteed from the initial date of purchase against all manufacturing defects. Other finished 1 year.

Customer service

Ontario, West Canada: 888-287-5354 Quebec, Maritimes: 866-473-8442

Rev: 390EN.pdf 2010.12.02



3/4" double coaxial thermostatic pressure balance valve

CSTM83XX



Specifications

Descriptions

- ¾" male inlet NPT
- 2 Coaxial thermostatic/pressure balanced cartridge
- Solid brass
- 2 Different temperatures
- 2 Intregrated volume control

Available colors

- C : Chrome
- BN: Brushed nickel (PVD)

Flows

Total max. flow 69.8 L/min, 18.4 gpm (US) 60psi


Cartridges

• 401-143

Certifications

- ASME A112.18.1
- CSA B125.1
- ASSE 1016





Warranty

The Riobel inc. product carries a limited LIFETIME warranty on the finish Chrome, Gold (PVD), Brushed nickel (PVD), Night brushed (PVD), Polished nickel (PVD) and all working parts and is guaranteed from the initial date of purchase against all manufacturing defects. Other finished 1 year.

Customer service

Ontario, West Canada: 888-287-5354 Quebec, Maritimes, United States: 866-473-8442

Rev: CSTM83EN.pdf 2011.01.19